Chemex Labs Inc.

Analytical Chemists * Geochemists * Registered Assayers
994 West Glendale Ave., Suite 7, Sparks,
Nevada, U.S.A. 89431
PHONE: 702-356-5395

o: BHP - UTAH INTERNATIONAL

1360 POST OAK BLVD., SUITE 203
HOUSTON, TEXAS
77056-3020

A9424297

Comments: ATTN: P. PYLE CC: B. LALIRD

CERTIFICATE A9424297

(HTB) - BHP - UTAH INTERNATIONAL

Project: 2115
P.O.#:

Samples submitted to our lab in Mississauga, ON.
This report was printed on 7-SEP-94.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
217	80	Geochem ring entire sample
229	80	ICP - AQ Digestion charge
* NOTE	1:	

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	80	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	80	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	80	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	80	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	80	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	80	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	80	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	80	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	80	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	80	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	80	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	80	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	80	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	80	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	80	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	80	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	80	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	80	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	80	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	80	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	80	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	80	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	80	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	80	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	80	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	80	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	80	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	80	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	80	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	80	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	80	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	80	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	80	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000

Chemex Labs Inc.

Analytical Chemists * Geochemists * Registered Assayers
994 West Glendale Ave., Suite 7, Sparks,
Nevada, U.S.A. 89431
PHONE: 702-356-5395

To: BHP - UTAH INTERNATIONAL

1360 POST OAK BLVD., SUITE 203
HOUSTON, TEXAS
77056-3020

Project : 2115
Comments: ATTN: P. PYLE CC: B. LALIRD

Certificate Date: 07-SEP-94
Invoice No. :19424297
P.O. Number :
Account :HTB

CERTIFICATE OF ANALYSIS A9424297

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L113 BS 3906	217	229	< 5	< 0.2	2.21	2	110	< 0.5	< 2	0.37	< 0.5	16	22	90	5.52	< 10	< 1	0.22	< 10	0.73	1265
L113 BS 3907	217	229	< 5	< 0.2	2.28	12	180	< 0.5	< 2	0.57	< 0.5	13	26	84	5.23	< 10	< 1	0.10	< 10	0.84	1445
L113 BS 3908	217	229	< 5	< 0.2	2.42	8	130	< 0.5	< 2	0.65	< 0.5	18	40	53	5.54	< 10	< 1	0.16	< 10	0.93	1695
L113 BS 3909	217	229	< 5	< 0.2	3.49	18	140	< 0.5	< 2	0.45	< 0.5	24	24	162	6.17	< 10	< 1	0.04	10	1.62	1945
L113 BS 3910	217	229	< 5	< 0.2	3.43	10	130	< 0.5	< 2	0.91	< 0.5	22	14	56	5.40	< 10	< 1	0.05	< 10	1.51	1680
L115 BS 3911	217	229	< 5	< 0.2	1.90	4	100	< 0.5	< 2	3.28	< 0.5	12	19	15	4.02	< 10	< 1	0.10	< 10	0.87	1225
L115 BS 3912	217	229	< 5	< 0.2	2.28	6	120	< 0.5	< 2	0.93	< 0.5	13	22	14	4.60	< 10	< 1	0.13	< 10	0.69	1560
L115 BS 3913	217	229	< 5	< 0.2	2.91	6	100	< 0.5	< 2	0.67	< 0.5	17	14	16	5.56	< 10	< 1	0.10	< 10	1.43	1690
L115 BS 3914	217	229	< 5	< 0.2	2.82	2	110	< 0.5	< 2	0.54	< 0.5	16	8	82	6.14	10	< 1	0.07	< 10	0.91	1485
L115 BS 3915	217	229	< 5	< 0.2	2.64	12	140	< 0.5	< 2	0.81	< 0.5	15	15	92	5.48	< 10	< 1	0.25	< 10	1.10	1180
L115 BS 3916	217	229	< 5	< 0.2	1.99	6	70	< 0.5	< 2	0.75	1.0	14	18	64	4.07	< 10	< 1	0.23	< 10	0.83	870
L95 BS 3991	217	229	< 5	< 0.2	2.90	< 2	150	< 0.5	< 2	0.17	0.5	14	17	142	6.80	< 10	< 1	0.06	< 10	0.28	1980
L95 BS 3992	217	229	< 5	0.2	2.83	4	180	< 0.5	< 2	0.21	1.0	16	18	280	6.62	< 10	< 1	0.08	< 10	0.50	1900
L95 BS 3993	217	229	< 5	< 0.2	3.30	12	210	< 0.5	< 2	0.30	< 0.5	15	24	306	5.68	< 10	< 1	0.09	< 10	0.93	1580
L95 BS 3994	217	229	< 5	< 0.2	3.74	< 2	150	0.5	< 2	0.61	< 0.5	38	8	132	6.49	10	< 1	0.04	< 10	0.95	770
L95 BS 3995	217	229	25	< 0.2	3.12	14	430	< 0.5	< 2	0.42	< 0.5	25	17	258	5.88	< 10	< 1	0.10	< 10	1.05	680
L95 BS 3996	217	229	10	< 0.2	2.99	4	310	< 0.5	< 2	0.56	< 0.5	22	20	275	5.62	< 10	< 1	0.13	< 10	1.00	650
L95 BS 3997	217	229	10	< 0.2	2.71	4	1500	< 0.5	< 2	0.31	< 0.5	24	17	188	5.38	10	< 1	0.29	< 10	1.39	645
L95 BS 3998	217	229	25	0.4	2.20	2	340	< 0.5	< 2	0.19	1.0	30	42	312	6.83	< 10	< 1	0.13	< 10	0.46	1980
L95 BS 3999	217	229	35	< 0.2	1.78	< 2	170	< 0.5	< 2	0.12	0.5	25	49	320	6.12	< 10	< 1	0.07	< 10	0.30	1075
L95 BS 4000	217	229	35	0.4	2.24	4	210	< 0.5	< 2	0.13	0.5	21	47	545	6.76	< 10	< 1	0.07	< 10	0.33	1145
L95 BS 4001	217	229	< 5	< 0.2	2.60	< 2	190	< 0.5	< 2	0.23	< 0.5	20	36	213	5.88	< 10	< 1	0.20	< 10	0.83	825
L95 BS 4002	217	229	< 5	< 0.2	2.88	6	130	< 0.5	< 2	0.29	< 0.5	24	15	151	5.62	< 10	< 1	0.18	< 10	1.54	505
L95 BS 4003	217	229	< 5	< 0.2	3.81	< 2	330	< 0.5	< 2	0.47	< 0.5	33	20	82	5.78	10	< 1	0.49	< 10	1.99	1315
L95 BS 4004	217	229	< 5	< 0.2	4.07	< 2	200	< 0.5	< 2	0.37	< 0.5	28	22	89	6.68	10	< 1	0.22	< 10	2.31	1085
L95 BS 4005	217	229	< 5	< 0.2	3.74	16	380	< 0.5	< 2	0.28	< 0.5	39	32	149	6.86	10	< 1	0.13	< 10	1.75	1380
L95 BS 4006	217	229	< 5	< 0.2	2.77	< 2	330	< 0.5	< 2	0.38	< 0.5	34	21	510	5.23	10	< 1	0.12	< 10	1.13	1220
L95 BS 4007	217	229	15	0.2	2.74	12	280	< 0.5	< 2	0.33	< 0.5	18	22	347	5.69	< 10	< 1	0.11	10	1.21	2220
L95 BS 4008	217	229	< 5	< 0.2	2.56	18	270	< 0.5	< 2	0.21	< 0.5	22	19	270	5.32	< 10	< 1	0.17	< 10	1.08	2190
L95 BS 4009	217	229	< 5	< 0.2	3.21	14	250	< 0.5	< 2	0.23	< 0.5	21	9	116	6.02	10	< 1	0.09	< 10	0.93	2670
L95 BS 4010	217	229	< 5	< 0.2	2.85	8	420	< 0.5	< 2	0.17	< 0.5	19	11	175	5.63	< 10	< 1	0.20	< 10	0.99	2780
L95 BS 4011	217	229	< 5	< 0.2	2.55	6	80	< 0.5	< 2	0.15	< 0.5	15	4	101	5.15	10	< 1	0.15	< 10	1.30	2630
L95 BS 4012	217	229	< 5	< 0.2	2.04	8	220	0.5	< 2	0.11	< 0.5	20	6	11	5.39	< 10	< 1	0.06	< 10	0.99	1700
L95 BS 4013	217	229	< 5	< 0.2	2.53	10	160	< 0.5	< 2	0.06	< 0.5	9	2	59	5.67	< 10	< 1	0.08	10	0.35	925
L95 BS 4014	217	229	< 5	< 0.2	2.25	4	160	< 0.5	< 2	0.13	< 0.5	10	13	6	5.64	< 10	< 1	0.06	< 10	0.37	1240
L95 BS 4015	217	229	< 5	< 0.2	2.15	8	190	< 0.5	< 2	0.12	< 0.5	14	8	2	5.62	< 10	< 1	0.07	< 10	0.47	1730
L95 BS 4016	217	229	< 5	< 0.2	2.07	10	420	< 0.5	< 2	0.33	< 0.5	20	15	7	5.02	< 10	< 1	0.08	< 10	0.65	2470
L95 BS 4017	217	229	< 5	< 0.2	1.90	6	230	< 0.5	< 2	0.09	< 0.5	15	15	6	4.67	< 10	< 1	0.12	< 10	0.37	1655
L94 BS 4018	217	229	< 5	< 0.2	2.39	28	180	< 0.5	< 2	0.09	< 0.5	8	17	35	5.83	< 10	< 1	0.15	< 10	0.41	620
L94 BS 4019	217	229	< 5	< 0.2	2.34	16	200	0.5	< 2	0.13	< 0.5	18	28	13	5.41	< 10	< 1	0.13	< 10	0.51	1575

CERTIFICATION: Laurent Bain

Chemex Labs Inc.

Analytical Chemists * Geochemists * Registered Assayers
994 West Glendale Ave., Suite 7, Sparks,
Nevada, U.S.A. 89431
PHONE: 702-356-5395

To: BHP - UTAH INTERNATIONAL

1360 POST OAK BLVD., SUITE 203
HOUSTON, TEXAS
77056-3020

Project : 2115
Comments: ATTN: P. PYLE CC: B. LALIRD

Certificate Date: 07-SEP-94
Invoice No. :19424297
P.O. Number :
Account :HTB

CERTIFICATE OF ANALYSIS A9424297

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L113 BS 3906	217	229	< 1	0.02	4	530	12	< 2	9	30	0.08	< 10	< 10	131	< 10	136
L113 BS 3907	217	229	< 1	0.02	7	450	16	< 2	8	36	0.05	< 10	< 10	108	10	146
L113 BS 3908	217	229	2	0.03	9	540	16	< 2	10	30	0.09	< 10	< 10	140	10	256
L113 BS 3909	217	229	1	0.04	12	1010	16	< 2	15	33	0.06	< 10	< 10	161	10	250
L113 BS 3910	217	229	1	0.03	9	510	6	< 2	15	41	0.10	< 10	< 10	186	10	188
L115 BS 3911	217	229	< 1	0.03	5	550	14	< 2	6	48	0.07	< 10	< 10	84	< 10	120
L115 BS 3912	217	229	< 1	0.02	3	580	10	< 2	7	31	0.06	< 10	< 10	83	10	94
L115 BS 3913	217	229	< 1	0.04	4	540	12	< 2	9	45	0.15	< 10	< 10	134	10	146
L115 BS 3914	217	229	< 1	0.03	1	450	10	< 2	8	48	0.13	< 10	< 10	135	10	100
L115 BS 3915	217	229	1	0.03	7	860	10	< 2	8	63	0.15	< 10	< 10	120	10	156
L115 BS 3916	217	229	< 1	0.03	3	500	20	< 2	7	48	0.07	< 10	< 10	91	< 10	108
L95 BS 3991	217	229	< 1	0.02	4	410	30	< 2	10	20	0.03	< 10	< 10	166	20	350
L95 BS 3992	217	229	2	0.02	5	470	40	< 2	12	24	0.02	< 10	< 10	167	20	710
L95 BS 3993	217	229	2	0.03	6	310	40	< 2	9	40	0.05	< 10	< 10	142	20	548
L95 BS 3994	217	229	2	0.04	9	370	2	< 2	15	77	0.10	< 10	< 10	223	10	76
L95 BS 3995	217	229	2	0.03	9	240	34	< 2	11	51	0.04	< 10	< 10	186	10	318
L95 BS 3996	217	229	2	0.06	9	290	22	2	10	55	0.04	< 10	< 10	175	10	180
L95 BS 3997	217	229	1	0.03	11	170	40	< 2	11	38	0.09	< 10	< 10	179	10	536
L95 BS 3998	217	229	1	0.02	8	320	44	< 2	7	24	0.02	< 10	< 10	183	20	382
L95 BS 3999	217	229	1	0.01	6	220	92	< 2	8	16	0.02	< 10	< 10	161	10	242
L95 BS 4000	217	229	< 1	0.01	6	300	106	< 2	11	19	0.02	< 10	< 10	183	20	414
L95 BS 4001	217	229	2	0.02	8	500	28	< 2	11	23	0.02	< 10	< 10	150	20	254
L95 BS 4002	217	229	< 1	0.04	12	390	6	< 2	15	41	< 0.01	< 10	< 10	169	10	82
L95 BS 4003	217	229	1	0.03	15	230	2	< 2	13	54	0.10	< 10	< 10	196	10	122
L95 BS 4004	217	229	1	0.03	11	360	8	< 2	17	44	0.06	< 10	< 10	211	10	118
L95 BS 4005	217	229	2	0.03	17	510	12	< 2	15	31	0.06	< 10	< 10	223	20	200
L95 BS 4006	217	229	1	0.02	9	790	12	2	11	29	0.03	< 10	< 10	159	10	298
L95 BS 4007	217	229	2	0.02	9	620	12	< 2	13	32	0.05	< 10	< 10	181	10	330
L95 BS 4008	217	229	< 1	0.02	4	650	14	< 2	10	22	< 0.01	< 10	< 10	119	10	466
L95 BS 4009	217	229	< 1	0.03	3	430	14	< 2	12	26	0.04	< 10	< 10	170	10	262
L95 BS 4010	217	229	1	0.02	3	540	8	< 2	11	19	< 0.01	< 10	< 10	143	10	266
L95 BS 4011	217	229	< 1	0.03	2	480	12	< 2	12	20	< 0.01	< 10	< 10	120	10	250
L95 BS 4012	217	229	< 1	0.03	2	350	8	2	13	13	0.01	< 10	< 10	124	10	254
L95 BS 4013	217	229	1	0.01	2	270	10	< 2	16	11	0.04	< 10	< 10	174	< 10	106
L95 BS 4014	217	229	< 1	0.01	2	390	12	< 2	13	17	0.01	< 10	< 10	146	10	134
L95 BS 4015	217	229	< 1	0.02	3	360	8	< 2	12	16	0.01	< 10	< 10	137	10	212
L95 BS 4016	217	229	< 1	0.02	6	330	18	2	7	48	0.01	< 10	< 10	104	10	220
L95 BS 4017	217	229	< 1	0.02	1	440	16	< 2	6	12	0.01	< 10	< 10	68	< 10	158
L94 BS 4018	217	229	< 1	0.01	3	500	8	< 2	10	15	< 0.01	< 10	< 10	125	10	134
L94 BS 4019	217	229	1	0.02	7	450	12	< 2	9	22	0.01	< 10	< 10	107	10	210

CERTIFICATION: Laurent Bain

Chemex Labs Inc.

Analytical Chemists * Geochemists * Registered Assayers
994 West Glendale Ave., Suite 7, Sparks,
Nevada, U.S.A. 89431
PHONE: 702-356-5395

BHP - UTAH INTERNATIONAL

1360 POST OAK BLVD., SUITE 203
HOUSTON, TEXAS
77056-3020

Project : 2115
Comments: ATTN: P. PYLE CC: B. LALIRD

Certificate Date: 07-SEP-94
Invoice No. : I9424297
P.O. Number :
Account : HTB

CERTIFICATE OF ANALYSIS A9424297

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L94 BS 4020	217	229	< 5	< 0.2	3.23	< 2	280	0.5	< 2	0.33	< 0.5	20	20	94	6.03	< 10	< 1	0.13	< 10	1.12	2620
L94 BS 4021	217	229	< 5	< 0.2	2.22	8	280	< 0.5	< 2	0.19	< 0.5	22	22	73	5.45	< 10	< 1	0.23	< 10	0.63	2630
L94 BS 4022	217	229	< 5	< 0.2	2.54	10	320	0.5	< 2	0.19	< 0.5	22	21	85	5.89	< 10	< 1	0.09	< 10	0.51	2510
L94 BS 4023	217	229	< 5	< 0.2	2.07	8	270	< 0.5	< 2	0.37	< 0.5	19	29	55	5.14	< 10	< 1	0.17	< 10	0.54	2640
L94 BS 4024	217	229	< 5	< 0.2	2.27	10	430	0.5	< 2	0.14	< 0.5	22	33	227	5.29	< 10	< 1	0.21	< 10	0.61	2680
L94 BS 4025	217	229	20	< 0.2	3.15	10	540	< 0.5	< 2	0.17	< 0.5	19	20	161	6.22	< 10	< 1	0.16	< 10	0.72	1855
L94 BS 4026	217	229	< 5	< 0.2	2.81	8	310	< 0.5	< 2	0.25	0.5	23	35	249	5.93	< 10	< 1	0.21	< 10	0.88	2150
L94 BS 4027	217	229	< 5	< 0.2	3.41	6	320	< 0.5	< 2	0.43	0.5	22	32	302	6.00	< 10	< 1	0.26	< 10	1.22	2670
L94 BS 4028	217	229	< 5	< 0.2	3.19	12	300	< 0.5	< 2	0.46	0.5	21	36	295	5.77	< 10	< 1	0.28	< 10	1.20	2630
L94 BS 4029	217	229	< 5	< 0.2	3.46	4	180	< 0.5	< 2	0.20	< 0.5	14	29	60	6.66	< 10	< 1	0.11	< 10	0.73	750
L94 BS 4030	217	229	< 5	< 0.2	2.97	2	340	< 0.5	< 2	0.27	< 0.5	24	35	155	6.28	< 10	< 1	0.13	< 10	1.02	1240
L94 BS 4031	217	229	< 5	< 0.2	3.42	6	220	< 0.5	< 2	0.24	< 0.5	16	21	85	5.87	< 10	< 1	0.27	< 10	1.35	490
L94 BS 4032	217	229	< 5	< 0.2	3.81	< 2	200	< 0.5	< 2	0.33	< 0.5	22	22	104	6.44	< 10	< 1	0.18	< 10	1.07	565
L94 BS 4033	217	229	< 5	< 0.2	2.81	18	190	< 0.5	6	0.69	0.5	18	64	293	6.57	< 10	< 1	0.21	< 10	0.71	780
L94 BS 4034	217	229	< 5	< 0.2	3.91	< 2	210	< 0.5	2	0.43	< 0.5	24	23	145	6.38	< 10	< 1	0.26	< 10	1.29	640
L94 BS 4035	217	229	35	0.4	2.85	8	220	< 0.5	4	0.22	0.5	30	45	391	6.72	< 10	< 1	0.21	< 10	0.80	1355
L94 BS 4036	217	229	10	0.2	2.19	14	210	< 0.5	6	0.23	< 0.5	8	63	255	6.35	< 10	< 1	0.28	< 10	0.46	365
L94 BS 4037	217	229	15	< 0.2	3.09	< 2	150	< 0.5	< 2	0.29	< 0.5	15	33	282	6.12	< 10	< 1	0.06	< 10	0.86	430
L94 BS 4038	217	229	< 5	< 0.2	2.23	8	180	< 0.5	< 2	0.28	0.5	17	55	201	5.53	< 10	< 1	0.08	< 10	0.50	615
L94 BS 4039	217	229	< 5	< 0.2	3.15	2	170	< 0.5	< 2	0.15	< 0.5	11	16	302	7.02	< 10	< 1	0.11	< 10	0.47	280
L94 BS 4040	217	229	< 5	0.2	2.60	8	210	< 0.5	4	2.20	0.5	21	24	701	6.32	< 10	< 1	0.13	< 10	0.74	755
L94 BS 4041	217	229	< 5	< 0.2	2.66	6	290	< 0.5	< 2	0.38	< 0.5	27	31	172	5.83	< 10	< 1	0.05	< 10	0.61	925
L94 BS 4042	217	229	25	< 0.2	2.80	< 2	290	< 0.5	< 2	0.99	1.0	27	24	186	5.69	< 10	< 1	0.07	< 10	0.55	1875
L94 BS 4043	217	229	< 5	0.2	2.58	2	220	< 0.5	< 2	0.46	1.0	19	21	309	5.49	< 10	< 1	0.08	< 10	0.52	1480
L94 BS 4044	217	229	20	< 0.2	2.63	24	150	< 0.5	4	0.08	< 0.5	7	14	248	8.57	< 10	< 1	0.07	< 10	0.11	540
L94 BS 4045	217	229	< 5	< 0.2	2.75	10	360	< 0.5	4	0.09	< 0.5	2	54	83	5.99	< 10	< 1	0.08	< 10	0.16	210
L94 BS 4046	217	229	45	< 0.2	2.87	98	240	< 0.5	4	0.11	< 0.5	4	16	172	8.56	< 10	< 1	0.05	< 10	0.13	280
L94 BS 4047	217	229	< 5	< 0.2	2.29	8	270	< 0.5	< 2	0.26	< 0.5	20	43	67	5.35	< 10	< 1	0.07	< 10	0.37	1250
L94 BS 4048	217	229	< 5	0.2	2.18	10	210	< 0.5	< 2	0.34	< 0.5	16	65	70	5.17	< 10	< 1	0.08	< 10	0.42	905
L93 BS 4049	217	229	< 5	< 0.2	3.20	8	410	< 0.5	< 2	0.65	< 0.5	38	22	130	5.27	< 10	< 1	0.08	< 10	1.33	535
L93 BS 4050	217	229	< 5	0.2	1.53	2	180	< 0.5	< 2	1.39	< 0.5	15	41	64	4.22	< 10	< 1	0.05	< 10	0.46	890
L93 BS 4051	217	229	< 5	< 0.2	1.46	< 2	210	< 0.5	< 2	0.30	< 0.5	16	67	71	4.29	< 10	< 1	0.06	< 10	0.50	750
L93 BS 4052	217	229	< 5	< 0.2	1.93	6	200	< 0.5	< 2	0.40	< 0.5	18	38	78	4.79	< 10	< 1	0.06	< 10	0.56	1040
L93 BS 4053	217	229	< 5	0.2	2.28	24	270	< 0.5	4	0.35	< 0.5	19	35	505	6.56	< 10	< 1	0.12	< 10	0.46	680
L93 BS 4054	217	229	< 5	< 0.2	3.11	6	300	< 0.5	< 2	0.18	< 0.5	37	20	629	7.64	< 10	< 1	0.19	< 10	0.27	1275
L93 BS 4055	217	229	< 5	< 0.2	2.59	2	130	< 0.5	< 2	0.73	< 0.5	12	19	229	7.50	< 10	< 1	0.10	< 10	0.51	380
L93 BS 4056	217	229	< 5	< 0.2	2.41	4	80	< 0.5	< 2	0.07	< 0.5	8	17	86	6.54	< 10	< 1	0.73	< 10	0.43	270
L93 BS 4057	217	229	< 5	< 0.2	3.09	< 2	580	< 0.5	4	0.16	< 0.5	60	22	163	7.47	< 10	< 1	0.10	< 10	0.45	3260
L93 BS 4058	217	229	< 5	< 0.2	2.27	4	110	< 0.5	< 2	0.22	< 0.5	8	14	175	6.70	< 10	< 1	0.11	< 10	0.33	400
L93 BS 4059	217	229	< 5	< 0.2	2.55	10	190	< 0.5	2	0.25	< 0.5	25	19	212	5.98	< 10	< 1	0.20	< 10	0.88	755

CERTIFICATION: Laurent Bain

Chemex Labs Inc.

Analytical Chemists * Geochemists * Registered Assayers
994 West Glendale Ave., Suite 7, Sparks,
Nevada, U.S.A. 89431
PHONE: 702-356-5395

To: BHP - UTAH INTERNATIONAL

1360 POST OAK BLVD., SUITE 203
HOUSTON, TEXAS
77056-3020

Project : 2115
Comments: ATTN: P. PYLE CC: B. LALIRD

Certificate Date: 07-SEP-94
Invoice No. :19424297
P.O. Number :
Account :HTB

CERTIFICATE OF ANALYSIS A9424297

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L94 BS 4020	217	229	< 1	0.02	6	550	8	< 2	13	28	0.06	< 10	< 10	130	10	304
L94 BS 4021	217	229	< 1	0.01	6	420	10	< 2	11	21	0.02	< 10	< 10	143	< 10	218
L94 BS 4022	217	229	1	0.01	7	440	10	< 2	12	26	0.03	< 10	< 10	149	< 10	192
L94 BS 4023	217	229	< 1	0.02	5	500	10	< 2	9	32	0.02	< 10	< 10	126	< 10	214
L94 BS 4024	217	229	< 1	0.01	6	540	8	< 2	10	23	0.01	< 10	< 10	121	< 10	260
L94 BS 4025	217	229	< 1	0.01	7	430	8	< 2	15	28	0.07	< 10	< 10	184	< 10	220
L94 BS 4026	217	229	1	0.02	6	650	12	< 2	13	22	0.04	< 10	< 10	154	10	320
L94 BS 4027	217	229	1	0.02	10	930	6	< 2	14	30	0.05	< 10	< 10	158	< 10	356
L94 BS 4028	217	229	< 1	0.02	11	800	6	< 2	13	33	0.04	< 10	< 10	156	10	346
L94 BS 4029	217	229	< 1	0.01	6	430	22	< 2	15	26	0.07	< 10	< 10	230	< 10	94
L94 BS 4030	217	229	< 1	0.02	7	490	14	< 2	13	32	0.05	< 10	< 10	190	10	192
L94 BS 4031	217	229	1	0.02	11	300	4	< 2	14	30	0.06	< 10	< 10	182	< 10	82
L94 BS 4032	217	229	1	0.02	7	250	2	< 2	19	51	0.05	< 10	< 10	210	10	58
L94 BS 4033	217	229	2	0.03	8	530	28	< 2	12	35	0.02	< 10	< 10	162	10	352
L94 BS 4034	217	229	1	0.02	10	240	6	< 2	17	47	0.06	< 10	< 10	224	< 10	82
L94 BS 4035	217	229	2	0.01	9	540	12	< 2	14	34	0.03	< 10	< 10	159	20	692
L94 BS 4036	217	229	1	0.01	6	540	10	< 2	11	39	0.02	< 10	< 10	190	10	110
L94 BS 4037	217	229	< 1	0.03	9	200	4	< 2	12	40	0.06	< 10	< 10	213	< 10	76
L94 BS 4038	217	229	1	0.02	7	270	10	< 2	9	32	0.03	< 10	< 10	169	< 10	204
L94 BS 4039	217	229	2	0.01	6	690	8	< 2	18	33	0.01	< 10	< 10	202	10	214
L94 BS 4040	217	229	1	0.02	9	560	8	2	11	38	0.02	< 10	< 10	161	< 10	230
L94 BS 4041	217	229	2	0.03	8	290	14	< 2	9	38	0.04	< 10	< 10	187	10	132
L94 BS 4042	217	229	2	0.02	8	310	16	< 2	9	31	0.04	< 10	< 10	174	10	436
L94 BS 4043	217	229	1	0.01	7	390	16	< 2	11	20	0.03	< 10	< 10	155	10	404
L94 BS 4044	217	229	1	< 0.01	3	830	30	< 2	17	9	0.02	< 10	< 10	184	< 10	162
L94 BS 4045	217	229	< 1	< 0.01	5	700	66	< 2	15	14	< 0.01	< 10	< 10	139	< 10	96
L94 BS 4046	217	229	< 1	< 0.01	4	790	32	2	14	16	0.02	< 10	< 10	175	10	102
L94 BS 4047	217	229	< 1	0.01	7	360	14	4	9	24	0.03	< 10	< 10	135	10	120
L94 BS 4048	217	229	1	0.02	6	360	12	< 2	8	24	0.03	< 10	< 10	132	< 10	100
L93 BS 4049	217	229	< 1	0.04	13	470	< 2	< 2	12	70	0.04	< 10	< 10	151	< 10	68
L93 BS 4050	217	229	< 1	0.01	4	360	12	< 2	6	29	0.02	< 10	< 10	105	< 10	100
L93 BS 4051	217	229	< 1	0.02	6	420	8	< 2	6	23	0.03	< 10	< 10	106	< 10	100
L93 BS 4052	217	229	< 1	0.01	5	420	8	< 2	8	34	0.03	< 10	< 10	121	< 10	106
L93 BS 4053	217	229	1	0.02	7	570	34	< 2	13	42	0.02	< 10	< 10	179	10	174
L93 BS 4054	217	229	< 1	0.05	6	370	12	< 2	17	22	0.04	< 10	< 10	247	< 10	114
L93 BS 4055	217	229	< 1	0.01	8	340	6	< 2	20	10	0.04	< 10	< 10	254	< 10	74
L93 BS 4056	217	229	< 1	0.01	8	110	2	2	24	8	0.08	< 10	< 10	259	< 10	54
L93 BS 4057	217	229	< 1	0.01	13	210	4	< 2	18	21	0.03	< 10	< 10	248	10	168
L93 BS 4058	217	229	1	< 0.01	6	400	20	< 2	20	16	0.02	< 10	< 10	203	< 10	110
L93 BS 4059	217	229	1	0.01	11	340	12	< 2	16	39	0.02	< 10	< 10	178	< 10	150

CERTIFICATION: Laurent Blain