APPENDIX I

BULL SNAP

SOIL LINE EXTENSION

SAMPLE RESULTS

Chemex Labs Inc.

Analytical Chemists * Geochemists * Registered Assayers
994 West Glendale Ave., Suite 7, Sparks,
Nevada, U.S.A. 89431
PHONE: 702-356-5395

To: BHP - UTAH INTERNATIONAL

1360 POST OAK BLVD., SUITE 203
HOUSTON, TEXAS
77056-3020

A941817

Comments: ATTN: P. PYLE CC: B. LAIRD

CERTIFICATE A9418176

BHP - UTAH INTERNATIONAL

Project: 2115
P.O. #:

Samples submitted to our lab in Mississauga, ON.
This report was printed on 21-JUN-94.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
217	60	Geochem ring entire sample
229	60	ICP - AQ Digestion charge
* NOTE	1:	

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	60	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	60	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	60	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	60	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	60	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	60	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	60	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	60	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	60	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	60	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	60	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	60	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	60	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	60	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	60	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	60	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	60	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	60	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	60	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	60	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	60	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	60	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	60	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	60	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	60	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	60	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	60	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	60	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	60	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	60	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	60	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	60	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	60	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000

Chemex Labs Inc.

Analytical Chemists * Geochemists * Registered Assayers
994 West Glendale Ave., Suite 7, Sparks,
Nevada, U.S.A. 89431
PHONE: 702-356-5395

S: BHP - UTAH INTERNATIONAL

1360 POST OAK BLVD., SUITE 203
HOUSTON, TEXAS
77056-3020

Project : 2115
Comments: ATTN: P. PYLE CC: B. LAIRD

Certificate Date: 21-JUN-94
Invoice No. 19418176
P.O. Number
Account HTB

CERTIFICATE OF ANALYSIS A9418176

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
BS2700	217	229	< 5	0.2	2.76	< 2	90	0.5	< 2	0.22	0.5	14	33	264	4.16	10	< 1	0.09	10	0.72	1420
BS2701	217	229	< 5	< 0.2	3.20	2	60	< 0.5	< 2	0.73	< 0.5	24	31	87	5.48	< 10	< 1	0.03	10	1.95	1485
BS2702	217	229	< 5	< 0.2	2.77	4	30	< 0.5	< 2	0.76	< 0.5	24	35	26	4.97	< 10	< 1	0.17	10	1.95	1285
BS2703	217	229	< 5	< 0.2	2.95	4	100	< 0.5	< 2	1.13	< 0.5	25	26	67	5.39	< 10	< 1	0.05	10	1.73	1885
BS2704	217	229	< 5	< 0.2	3.21	12	90	< 0.5	< 2	0.66	< 0.5	25	29	17	5.91	10	< 1	0.03	10	1.51	1820
BS2705	217	229	< 5	< 0.2	3.07	10	90	< 0.5	< 2	0.62	< 0.5	25	30	17	5.78	10	< 1	0.03	10	1.48	1795
BS2706	217	229	< 5	< 0.2	3.62	6	120	< 0.5	< 2	0.82	1.0	25	34	228	5.59	10	< 1	0.02	10	1.80	1845
BS2707	217	229	< 5	< 0.2	3.87	6	150	< 0.5	< 2	0.86	1.5	27	34	451	6.17	10	< 1	0.13	10	2.19	2140
BS2708	217	229	< 5	< 0.2	3.21	8	70	< 0.5	< 2	0.73	0.5	21	24	23	5.17	10	< 1	0.07	10	1.70	1750
BS2709	217	229	< 5	< 0.2	3.60	2	100	< 0.5	< 2	0.55	< 0.5	24	26	45	6.15	10	< 1	0.09	10	2.00	1795
BS2710	217	229	< 5	< 0.2	3.45	2	120	< 0.5	< 2	0.44	0.5	26	27	98	6.00	10	< 1	0.14	10	1.49	1920
BS2711	217	229	< 5	< 0.2	2.96	2	110	< 0.5	< 2	0.58	< 0.5	24	29	77	5.72	10	< 1	0.06	10	1.49	1550
BS2712	217	229	< 5	< 0.2	3.42	4	100	< 0.5	< 2	0.39	< 0.5	27	31	55	5.98	10	< 1	0.05	< 10	1.69	1715
BS2713	217	229	< 5	< 0.2	2.58	2	160	< 0.5	< 2	0.19	< 0.5	17	23	42	5.82	10	< 1	0.04	10	0.86	915
BS2714	217	229	< 5	< 0.2	2.70	< 2	100	< 0.5	< 2	0.35	< 0.5	15	26	43	6.24	< 10	< 1	0.03	< 10	0.77	815
BS2715	217	229	< 5	< 0.2	2.84	< 2	180	< 0.5	< 2	0.68	< 0.5	20	27	80	6.06	< 10	< 1	0.03	10	0.85	1250
BS2716	217	229	< 5	< 0.2	2.96	2	140	< 0.5	< 2	0.45	< 0.5	20	21	104	5.40	10	< 1	0.06	10	1.08	1390
BS2717	217	229	< 5	< 0.2	4.67	< 2	240	< 0.5	< 2	0.58	< 0.5	27	18	36	6.78	10	< 1	0.03	10	1.43	1360
BS2718	217	229	< 5	< 0.2	3.03	4	130	< 0.5	< 2	0.65	< 0.5	27	27	33	6.06	< 10	< 1	0.03	10	1.63	1990
BS2719	217	229	< 5	< 0.2	2.66	12	60	< 0.5	< 2	0.75	< 0.5	24	24	3	5.44	< 10	< 1	0.07	10	2.07	1780
BS2720	217	229	< 5	< 0.2	2.81	10	60	< 0.5	< 2	0.78	< 0.5	23	30	4	5.88	< 10	< 1	0.10	10	2.28	1575
BS2721	217	229	< 5	< 0.2	3.66	4	60	< 0.5	< 2	1.16	< 0.5	28	32	33	5.97	< 10	< 1	0.04	10	2.31	1665
BS2722	217	229	< 5	< 0.2	3.44	2	30	< 0.5	< 2	1.10	< 0.5	26	31	19	5.47	< 10	< 1	0.04	10	2.45	1265
BS2723	217	229	< 5	< 0.2	3.90	< 2	80	< 0.5	< 2	0.31	< 0.5	30	7	23	6.38	< 10	< 1	0.01	< 10	1.83	2070
BS2724	217	229	< 5	< 0.2	3.37	< 2	70	< 0.5	< 2	0.57	< 0.5	27	52	17	6.22	< 10	< 1	0.03	10	1.92	1800
BS2725	217	229	< 5	< 0.2	3.07	< 2	70	< 0.5	< 2	0.80	< 0.5	26	30	27	5.53	< 10	< 1	0.07	< 10	2.02	1520
BS2726	217	229	< 5	< 0.2	3.30	2	80	< 0.5	< 2	0.92	< 0.5	29	32	74	5.80	< 10	< 1	0.03	10	2.20	1690
BS2727	217	229	< 5	< 0.2	2.62	6	50	< 0.5	< 2	0.69	< 0.5	23	27	4	5.47	< 10	< 1	0.08	10	2.15	1550
BS2728	217	229	< 5	< 0.2	2.62	8	80	< 0.5	< 2	0.80	< 0.5	23	28	4	5.48	< 10	< 1	0.12	10	1.91	1575
BS2729	217	229	< 5	< 0.2	3.20	6	170	< 0.5	< 2	0.63	< 0.5	27	31	19	6.29	< 10	< 1	0.04	10	1.70	1975
BS2730	217	229	< 5	< 0.2	3.49	4	210	< 0.5	< 2	0.83	0.5	22	29	34	6.36	< 10	< 1	0.03	10	1.16	1390
BS2731	217	229	< 5	< 0.2	3.20	2	190	< 0.5	< 2	0.55	< 0.5	24	23	46	6.20	< 10	< 1	0.05	10	1.11	1065
BS2732	217	229	< 5	< 0.2	3.38	4	140	< 0.5	< 2	0.35	< 0.5	15	19	55	6.39	< 10	< 1	0.06	< 10	1.09	495
BS2733	217	229	< 5	< 0.2	2.92	2	130	< 0.5	< 2	0.28	< 0.5	19	24	31	6.68	< 10	< 1	0.06	< 10	0.53	1070
BS2734	217	229	< 5	< 0.2	2.45	4	110	< 0.5	< 2	0.37	< 0.5	19	24	134	5.24	< 10	< 1	0.11	< 10	1.08	925
BS2735	217	229	< 5	< 0.2	3.31	4	110	< 0.5	< 2	0.41	< 0.5	23	31	84	5.63	10	< 1	0.07	10	1.38	1565
BS2736	217	229	< 5	< 0.2	3.19	4	290	< 0.5	< 2	0.54	0.5	24	35	34	5.92	10	< 1	0.09	10	1.95	1295
BS2737	217	229	< 5	< 0.2	3.23	2	200	< 0.5	< 2	0.40	< 0.5	23	23	49	6.41	< 10	< 1	0.10	< 10	1.43	1100
BS2738	217	229	< 5	< 0.2	3.09	6	130	< 0.5	2	0.28	< 0.5	11	24	14	7.17	< 10	< 1	0.09	< 10	0.43	640
BS2739	217	229	< 5	< 0.2	3.21	2	150	< 0.5	< 2	0.52	< 0.5	16	22	18	6.17	10	< 1	0.04	10	1.32	575

CERTIFICATION: Hart Bichler

Chemex Labs Inc.

Analytical Chemists * Geochemists * Registered Assayers
994 West Glendale Ave., Suite 7, Sparks,
Nevada, U.S.A. 89431
PHONE: 702-356-5395

To: BHP - UTAH INTERNATIONAL

1360 POST OAK BLVD., SUITE 203
HOUSTON, TEXAS
77056-3020

Project : 2115
Comments: ATTN: P. PYLE CC: B. LAIRD

Certificate Date: 21-JUN-94
Invoice No. :19418176
P.O. Number :
Account :HTB

CERTIFICATE OF ANALYSIS A9418176

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BS2700	217	229	< 1	0.02	4	400	36	< 2	11	17	0.12	10	< 10	75	< 10	250
BS2701	217	229	< 1	0.03	15	250	14	< 2	14	49	0.14	< 10	< 10	120	< 10	234
BS2702	217	229	< 1	0.02	14	700	6	< 2	12	41	0.16	< 10	< 10	110	< 10	200
BS2703	217	229	< 1	0.02	13	660	8	< 2	12	50	0.21	< 10	< 10	144	< 10	176
BS2704	217	229	< 1	0.02	10	380	4	< 2	12	41	0.07	< 10	< 10	141	< 10	150
BS2705	217	229	< 1	0.02	11	380	4	2	12	39	0.07	< 10	< 10	139	< 10	148
BS2706	217	229	< 1	0.02	12	380	4	< 2	12	48	0.06	< 10	< 10	141	< 10	190
BS2707	217	229	< 1	0.02	16	770	50	4	15	58	0.07	< 10	< 10	157	< 10	264
BS2708	217	229	< 1	0.02	7	660	4	< 2	10	40	0.02	10	< 10	107	< 10	192
BS2709	217	229	< 1	0.01	11	550	6	2	11	33	0.01	< 10	< 10	116	< 10	198
BS2710	217	229	< 1	0.02	14	530	42	2	14	31	0.02	< 10	< 10	135	< 10	234
BS2711	217	229	< 1	0.02	12	430	14	< 2	12	32	0.04	< 10	< 10	131	< 10	212
BS2712	217	229	< 1	0.02	15	450	4	< 2	11	27	0.03	< 10	< 10	116	< 10	206
BS2713	217	229	< 1	0.02	7	270	12	2	11	27	0.06	< 10	< 10	144	< 10	184
BS2714	217	229	< 1	0.02	6	280	12	< 2	12	41	0.10	< 10	< 10	161	< 10	158
BS2715	217	229	< 1	0.02	6	230	12	< 2	11	58	0.15	< 10	< 10	153	< 10	132
BS2716	217	229	< 1	0.02	7	320	8	< 2	12	41	0.09	< 10	< 10	126	< 10	150
BS2717	217	229	< 1	0.02	9	170	8	2	16	59	0.14	< 10	< 10	153	< 10	176
BS2718	217	229	< 1	0.02	10	290	2	< 2	13	47	0.11	< 10	< 10	157	< 10	176
BS2719	217	229	< 1	0.02	9	400	2	< 2	12	32	0.24	< 10	< 10	154	< 10	170
BS2720	217	229	< 1	0.03	11	560	4	< 2	13	36	0.18	< 10	< 10	147	< 10	162
BS2721	217	229	< 1	0.03	14	390	< 2	< 2	17	68	0.32	< 10	< 10	176	< 10	188
BS2722	217	229	< 1	0.03	16	270	2	< 2	14	64	0.23	10	< 10	113	< 10	230
BS2723	217	229	< 1	0.02	11	100	< 2	< 2	24	38	0.15	< 10	< 10	182	< 10	228
BS2724	217	229	< 1	0.04	15	130	6	< 2	16	42	0.18	< 10	< 10	149	< 10	218
BS2725	217	229	< 1	0.03	14	340	4	< 2	13	53	0.22	< 10	< 10	131	< 10	232
BS2726	217	229	< 1	0.03	14	360	6	< 2	13	66	0.19	< 10	< 10	145	< 10	202
BS2727	217	229	< 1	0.02	8	510	< 2	< 2	11	31	0.12	< 10	< 10	134	< 10	152
BS2728	217	229	< 1	0.02	10	560	2	4	11	37	0.12	< 10	< 10	143	< 10	136
BS2729	217	229	< 1	0.02	11	320	4	< 2	13	44	0.12	< 10	< 10	171	< 10	158
BS2730	217	229	< 1	0.03	9	240	6	< 2	14	68	0.15	< 10	< 10	159	< 10	166
BS2731	217	229	< 1	0.02	8	290	4	2	14	57	0.12	< 10	< 10	155	< 10	136
BS2732	217	229	< 1	0.02	8	190	4	2	15	51	0.10	< 10	< 10	162	< 10	146
BS2733	217	229	< 1	0.01	6	210	10	< 2	14	41	0.11	< 10	< 10	177	< 10	106
BS2734	217	229	< 1	0.02	8	250	22	4	10	38	0.06	< 10	< 10	135	< 10	144
BS2735	217	229	< 1	0.02	12	330	8	< 2	11	28	0.06	< 10	< 10	136	< 10	172
BS2736	217	229	< 1	0.02	15	350	6	< 2	13	31	0.04	10	< 10	134	< 10	178
BS2737	217	229	< 1	0.02	9	270	< 2	4	14	43	0.12	< 10	< 10	166	< 10	172
BS2738	217	229	< 1	0.01	5	360	14	< 2	14	30	0.07	< 10	< 10	178	< 10	102
BS2739	217	229	< 1	0.03	6	280	4	2	16	54	0.08	< 10	< 10	138	< 10	184

CERTIFICATION: Stuart Bichler

Chemex Labs Inc.

Analytical Chemists * Geochemists * Registered Assayers
994 West Glendale Ave., Suite 7, Sparks,
Nevada, U.S.A. 89431
PHONE: 702-356-5395

S: BHP - UTAH INTERNATIONAL

1360 POST OAK BLVD., SUITE 203
HOUSTON, TEXAS
77056-3020

Project : 2115
Comments: ATTN: P. PYLE CC: B. LAIRD

Certificate Date: 21-JUN-94
Invoice No. :19418176
P.O. Number :
Account :HTB

CERTIFICATE OF ANALYSIS A9418176

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
BS2740	217	229	< 5	< 0.2	3.19	4	290	< 0.5	< 2	0.74	< 0.5	22	26	51	5.87	10	< 1	0.06	10	0.98	1365
BS2741	217	229	< 5	< 0.2	3.02	2	190	< 0.5	< 2	0.54	< 0.5	23	24	26	6.05	10	< 1	0.03	10	1.20	1525
BS2742	217	229	< 5	< 0.2	3.66	4	160	< 0.5	< 2	0.70	< 0.5	25	19	12	6.20	10	< 1	0.03	10	1.78	2130
BS2743	217	229	< 5	< 0.2	3.06	2	120	< 0.5	< 2	0.65	< 0.5	24	22	14	5.86	10	< 1	0.08	10	2.01	1895
BS2744	217	229	< 5	< 0.2	2.78	< 2	70	< 0.5	< 2	0.57	< 0.5	31	34	10	6.01	< 10	< 1	0.02	< 10	0.87	2010
BS2745	217	229	< 5	< 0.2	3.20	< 2	80	< 0.5	< 2	0.66	< 0.5	30	35	9	6.14	10	< 1	0.02	< 10	1.34	1965
BS2746	217	229	< 5	< 0.2	3.32	2	60	< 0.5	< 2	0.64	< 0.5	30	40	6	5.87	10	< 1	0.08	< 10	1.89	1720
BS2747	217	229	< 5	< 0.2	3.88	< 2	90	< 0.5	< 2	0.62	< 0.5	30	35	17	6.78	10	< 1	0.03	10	2.02	2370
BS2748	217	229	< 5	< 0.2	3.03	< 2	120	< 0.5	< 2	3.02	< 0.5	23	44	28	5.06	10	< 1	0.25	< 10	2.08	1420
BS2749	217	229	< 5	< 0.2	3.62	< 2	90	< 0.5	< 2	0.79	< 0.5	31	40	37	6.77	10	< 1	0.08	10	1.48	1935
BS2750	217	229	< 5	< 0.2	3.66	2	90	< 0.5	< 2	0.85	< 0.5	29	38	22	5.98	10	< 1	0.03	10	1.45	1955
BS2751	217	229	< 5	< 0.2	2.82	< 2	140	< 0.5	< 2	0.65	< 0.5	24	22	12	6.34	10	< 1	0.06	10	1.42	2030
BS2752	217	229	< 5	< 0.2	3.16	2	220	< 0.5	< 2	0.54	< 0.5	26	23	9	6.51	10	< 1	0.04	< 10	1.45	1855
BS2753	217	229	< 5	< 0.2	3.45	4	380	< 0.5	< 2	0.53	< 0.5	28	23	16	6.21	10	< 1	0.04	10	1.21	1940
BS2754	217	229	< 5	< 0.2	3.64	2	750	< 0.5	< 2	0.67	< 0.5	27	24	53	6.80	10	< 1	0.09	10	1.10	1565
BS2755	217	229	< 5	< 0.2	3.02	< 2	760	< 0.5	< 2	2.49	< 0.5	22	29	141	5.35	10	< 1	0.32	< 10	1.22	1005
BS2756	217	229	< 5	< 0.2	3.72	< 2	300	< 0.5	< 2	0.35	< 0.5	14	19	29	6.45	10	< 1	0.07	10	1.07	435
BS2757	217	229	< 5	< 0.2	3.25	< 2	670	0.5	< 2	0.84	0.5	34	20	56	5.93	10	< 1	0.04	10	1.14	1300
BS2758	217	229	< 5	< 0.2	3.24	2	260	< 0.5	< 2	0.33	0.5	24	24	44	6.15	10	< 1	0.07	< 10	1.64	1440
BS2759	217	229	< 5	< 0.2	2.42	4	150	< 0.5	< 2	0.32	< 0.5	17	26	65	4.85	10	< 1	0.11	10	0.95	1115

CERTIFICATION: Jan Bichler

Chemex Labs Inc.

Analytical Chemists * Geochemists * Registered Assayers
994 West Glendale Ave., Suite 7, Sparks,
Nevada, U.S.A. 89431
PHONE: 702-356-5395

.o: BHP - UTAH INTERNATIONAL

1360 POST OAK BLVD., SUITE 203
HOUSTON, TEXAS
77056-3020

Project : 2115
Comments: ATTN: P. PYLE CC: B. LAIRD

Certificate Date: 21-JUN-94
Invoice No. :19418176
P.O. Number :
Account :HTB

CERTIFICATE OF ANALYSIS A9418176

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BS2740	217	229	< 1	0.02	8	400	16	< 2	13	75	0.11	< 10	< 10	152	< 10	194
BS2741	217	229	< 1	0.02	7	310	6	2	13	52	0.10	< 10	< 10	156	< 10	158
BS2742	217	229	< 1	0.04	10	320	2	< 2	15	58	0.24	< 10	< 10	186	< 10	180
BS2743	217	229	< 1	0.02	9	520	4	< 2	13	39	0.15	< 10	< 10	153	< 10	180
BS2744	217	229	< 1	0.01	12	330	6	4	12	43	0.09	< 10	< 10	153	< 10	152
BS2745	217	229	< 1	0.02	14	320	12	2	12	52	0.11	< 10	< 10	140	< 10	190
BS2746	217	229	< 1	0.01	15	210	4	2	16	47	0.07	< 10	< 10	141	< 10	196
BS2747	217	229	< 1	0.03	15	240	4	< 2	19	55	0.20	< 10	< 10	184	< 10	246
BS2748	217	229	< 1	0.07	14	1020	8	2	12	95	0.21	< 10	< 10	128	< 10	272
BS2749	217	229	< 1	0.02	13	380	14	4	13	59	0.14	< 10	< 10	166	< 10	154
BS2750	217	229	< 1	0.02	14	400	8	2	14	68	0.14	< 10	< 10	150	< 10	156
BS2751	217	229	< 1	0.02	8	490	4	< 2	11	40	0.15	< 10	< 10	155	< 10	138
BS2752	217	229	< 1	0.02	6	270	8	< 2	12	40	0.14	< 10	< 10	152	< 10	154
BS2753	217	229	< 1	0.02	8	330	6	2	12	50	0.07	< 10	< 10	152	< 10	176
BS2754	217	229	< 1	0.01	6	420	14	< 2	14	66	0.16	< 10	< 10	178	< 10	162
BS2755	217	229	< 1	0.02	7	520	16	2	15	63	0.14	< 10	< 10	165	< 10	212
BS2756	217	229	< 1	0.02	7	120	18	< 2	19	56	0.13	< 10	< 10	188	< 10	144
BS2757	217	229	< 1	0.02	8	220	16	2	17	53	0.09	< 10	< 10	162	< 10	194
BS2758	217	229	< 1	0.02	10	260	24	< 2	14	34	0.08	< 10	< 10	165	< 10	216
BS2759	217	229	< 1	0.03	7	400	8	< 2	9	24	0.02	< 10	< 10	103	< 10	126

CERTIFICATION: Stewart Bichler